


Midterm 2 Lecture Review Activity, Math 1554

1. (3 points) T_A is the linear transform $x \rightarrow Ax$, $A \in \mathbb{R}^{2 \times 2}$, that projects points in \mathbb{R}^2 onto the x_2 -axis. Sketch the nullspace of A , the range of the transform, and the column space of A . How are the range and column space related to each other?



2. Indicate **true** if the statement is true, otherwise, indicate **false**.

true false

a) $S = \{\vec{x} \in \mathbb{R}^3 \mid x_1 = a, x_2 = 4a, x_3 = x_1x_2\}$ is a subspace for any $a \in \mathbb{R}$.

b) If A is square and non-zero, and $A\vec{x} = A\vec{y}$ for some $\vec{x} \neq \vec{y}$, then $\det(A) \neq 0$.

3. If possible, write down an example of a matrix or quantity with the given properties. If it is not possible to do so, write *not possible*.

(a) A is 2×2 , Col A is spanned by the vector $\begin{pmatrix} 2 \\ 3 \end{pmatrix}$ and $\dim(\text{Null}(A)) = 1$. $A = \begin{pmatrix} & \\ & \end{pmatrix}$

(b) A is 2×2 , Col A is spanned by the vector $\begin{pmatrix} 2 \\ 3 \end{pmatrix}$ and $\dim(\text{Null}(A)) = 0$. $A = \begin{pmatrix} & \\ & \end{pmatrix}$

(c) A is in RREF and $T_A : \mathbb{R}^3 \rightarrow \mathbb{R}^3$. The vectors u and v are a basis for the range of T .

$$u = \begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix}, v = \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}, A = \begin{pmatrix} & & \\ & & \\ & & \end{pmatrix}$$

4. Indicate whether the situations are possible or impossible by filling in the appropriate circle.

	possible	impossible
4.i) Vectors \vec{u} and \vec{v} are eigenvectors of square matrix A , and $\vec{w} = \vec{u} + \vec{v}$ is also an eigenvector of A .	<input type="radio"/>	<input type="radio"/>
4.ii) $T_A = A\vec{x}$ is one-to-one, $\dim(\text{Col}(A)) = 4$, and $T_A : \mathbb{R}^3 \rightarrow \mathbb{R}^4$.	<input type="radio"/>	<input type="radio"/>

5. (2 points) Fill in the blanks.

(a) If A is a 6×4 matrix in RREF and $\text{rank}(A) = 4$, what is the rank of A^T ?

(b) $T_A = A\vec{x}$, where $A \in \mathbb{R}^{2 \times 2}$, is a linear transform that first rotates vectors in \mathbb{R}^2 clockwise by π radians about the origin, then scales their x -component by a factor of 3, then projects them onto the x_1 -axis. What is the value of $\det(A)$?

6. (3 points) A virus is spreading in a lake. Every week,

- 20% of the healthy fish get sick with the virus, while the other healthy fish remain healthy but could get sick at a later time.
- 10% of the sick fish recover and can no longer get sick from the virus, 80% of the sick fish remain sick, and 10% of the sick fish die.

Initially there are exactly 1000 fish in the lake.

- What is the stochastic matrix, P , for this situation? Is P regular?
- Write down any steady-state vector for the corresponding Markov-chain.